



FLECK 2510 & 2510 ECONOMINDER

SERVICE MANUAL




TABLE OF CONTENTS

JOB SPECIFICATION SHEET	2
INSTALLATION.....	3
A - PIN CONNECTION	3
3200 IME ENGINE POCED E.....	4
3210 IME ENGINE POCED E.....	4
3200, 3210, 3220, 3230 ENGINE APPLICATION CLEARING POCED E	5
3200 IME CLOCK IME A EMBL	6
3210 IME DELAID IME A EMBL	8
3220 IME IMMEDIATE IME A EMBL	10
POLE HEAD A EMBL (ENGINE MOUNTING).....	12
MOUNTING POLE HEAD A EMBL	14
CONSOLE AREA EMBL	15
OFFENEFIL CONEIONKI	17
IME A EMBL	18
1600 BINE EMBL	19
1650 BINE EM	20
BPA AREA EMBL (PLATE).....	21
BPA AREA EMBL (MEAL).....	22
2300 AFE BINE AL E	23
2310 AFE BINE AL E	24
EAL & PACE OOL & REPLACEMENT	26
GENERAL ENGINE INFORMATION / M88 0946540.849 00946452.7641 (2300 AFE BINE AL EMBL AREA ENGINE INFORMATION	

INSTALLATION

Water Pressure

A 20 (1.4)

Electrical Facilities

A (A/C)

NOTE: Other voltages are available. Please make sure your voltage supply is compatible with your unit before installation.

Existing Plumbing

C . P . I /

Location Of Softener And Drain

Bypass Valves

A

CAUTION Water pressure is not to exceed 125 psi (8.6 bar), water temperature is not to exceed 110°F (43°C), and the unit cannot be subjected to freezing conditions.

Installation Instructions

1. P

2. D

3. A

20 (6) 7 1/2 (13) B
(26.5 L)
3/4- (19)
C

4.

5. L
P

NOTE: Only use silicone lubricant.

6. D L F C (DLFC).
L 6 (15) DLFC

DLFC. F
DLFC.

7. P

8. M

9. P 1 (25)
(F 1) . D

5. P
E

6.

7. P

NOTE: Do not use granulated or rock salt.

3200 TIMER SETTING PROCEDURE

How To Set Days On Which Water Conditioner Is To Regenerate (Figure 2)

1

E . F . M

How To Set The Time Of Day

1. P

2.

3.

How To Manually Regenerate Your Water Conditioner At Any Time

1.

2.

3.

4. E

5. I

How to Adjust Regeneration Time

1. D

2. L

24

3. L

24-

4. L

24-

5.

6. P

24-

7. P

8.




61502-3200 A

F 2

3210 TIMER SETTING PROCEDURE

Typical Programming Procedure




3200 TIME CLOCK TIMER ASSEMBLY

CONTINUED


Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
1	1	13870	H , , 3200	27	1	14381	A , 12 D
2	1	14265	C ,			14860	A , 7 D
3	3	14087	I	28	1	13014	P ,
4	1	10896	, M	29	1	40096-24	D , 12 AM A ,
5	1	15320	, M ,			B	
6	2	11413	, P H M ,			40096-02	D , 2 AM A , B
		4-40	1-1/8	30	1	13881	B , H
7	1	13886	K , 3200	31	2	11384	, P , 6-32 1/4
8	5	13296	, H , 6-20 1/2	32	1	13902	H , 3200
9	1	11999	L , B	33	2	40422	N , ,
10	1	13018	P , I	34	1	15354-01	, G , 4
11	1	13312	, I	35	1	14007	L , D
12	1	13017	G , I	36	1	*	C 3200 C
13	1	13164	G , D			A	
14	1	13887	P , M M	37		60320-02	K , 3200/9000
15	1	18743-1	M , 120 , 60H , 1/30 PM			A	, O
		18752-1	M , 100 , 50H , 1/30 PM	38		61420-03	P , G A ,
		18824-1	M , 230 , 50H , 1/30 PM			F	2 M P P
		18826-1	M , 24 , 50H , 1/30 PM			61420-04	P , G A ,
		19659-1	M , 24 , 60H , 1/30 PM				, 2 M P P
		19660-1	M , 230 , 60H , 1/30 PM *C			P	N
16	2	13278	, F H				
		6-32	.156				
17	1	15424	, D ,				
18	1	15066	B , 1/4- , D				
19	1	15465	L , C				
20	1	19210	P A				
21	1	13911	G , M D ,				
22	17	41754	P , , 1/16 5/8 ,				
23	1	13011	A , C A				
24	1	13864	, ,				
25	2	13311	, D ,				
26	2	13300	B , 1/4- ,				

3210 METER DELAYED TIMER ASSEMBLY



Item No.	QTY	Part No.	Description
1	1	13870	H , , 3200
2	1	13802	G , C A
3	1	40096-02	D 2 AM A , B
4	1	13886	K , 3200
5	4	13296	, H , 6-20 1/2
6	2	11999	L , B
7	1	13803	G , P D
8	1	13806	, P
9	1	13748	, F H , 6-20 1/2
10	1	14265	C ,
11	1	15424	, D ,
12	1	15066	B , 1/4- D
13	1	13018	P , I
14	1	13312	, I
15	1	13017	G , I
16	1	13164	G , D
17	1	13887	P , M M
18	1	18743-1	M , 120 , 60H 1/30 PM
		18752-1	M , 100 , 50H , 1/30 PM
		18824-1	M , 230 , 50H , 1/30 PM
		18826-1	M , 24 , 50H , 1/30 PM
		19659-1	M , 24 , 60H , 1/30 PM
		19660-1	M , 230 , 60H , 1/30 PM
19	1	13278	, F H , 6-32 .156
20	1	13830	P , P D
21	1	13831	C , D P
22	1	14276	, M , C
23	1	14253	, C
24	3	11384	, P , 6-32 1/4
25	1	13881	B , H
26	3	14087	I
27	1	10896	, M
28	1	15320	, M ,
29	2	11413	, P H M , 4-40 1 1/8
30	1	14198	L , I
31	1	15465	L , C
32	1	14007	L , D
33	1	14045	L , I
34	1	13902	H , 3200
35	2	40422	N , ,
36	1	15354-01	, G , 4
37	1	19210	P A
38	17	41754	P , , 1/16 5/8 ,
39	1	13911	G , M D ,
40	1	*	C 3210 M D A
41		60405-10	P , /3/4- D L 0-2,100
		60405-20	P , /3/4- E L 0-10,000
		60405-11	P , /3/4- D M L 0-8 3

3220 METER IMMEDIATE TIMER
ASSEMBLY




3220 METER IMMEDIATE TIMER

ASSEMBLY *CONTINUED*

Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
1	1	13870	H	34	1	19210-05	P A
2	1	15431	G , C A , #5				9000/3230
3	1	13886	K , 3200	35	17	41754	P , , 1/16 5/8
4	4	13296	, H , 6-20 1/2	36	1	15055	G , M D
5	2	11999	L , B	37	1	*	C 3220 M
6	1	13807	G , P D				I A
7	1	13806	, P	38		60405-10	P , /3/4-
8	1	13748	, F H , 6-20 1/2				D L 0-2,100
9	1	14265	C			60405-20	P , /3/4-
10	1	13018	P , I				E L 0-10,000
11	1	18563	I			60405-11	P , /3/4-
12	1	13017	G , I				D M L 0-8 3
13	1	13164	D G			60405-21	P , /3/4-
14	1	13887	P , M M				E 0-40 3
15	1	18743-1	M , 120 , 60 H , 1/30 PM	39		60320-02	K , 3200/9000
		18752-1	M , 100 , 50H , 1/30 PM				A , O
		18824-1	M , 230 , 50H , 1/30 PM	40		61420-06	P , G A ,
		18826-1	M , 24 , 50H , 1/30 PM				I 2 M
		19659-1	M , 24 , 60H , 1/30 PM				P P
		19660-1	M , 230 , 60H , 1/30 PM			61420-42	P , G A ,
16	2	13278	, F H				F I 2 M
17	1	14502	P , P				P P
18	1	14501	C , D P				P N
19	1	14276	M C				
20	1	14253	, C				
21	3	11384	, P , 6-32 1/4				
22	1	13881	B , H				
23	3	14087	I				
24	1	15414-00	M				
25	1	15320	, M ,				
26	2	11413	, P H M , 4-40 1-1/8				
27	1	14198	L , I				
28	1	15465	L , C				
29	1	14007	L , D				
30	1	15148	L , I				
31	1	40617	H , 3220				
32	2	40422	N , ,				
33	1	15354-01	, G , 4				

POWERHEAD ASSEMBLY
(ENVIRONMENTAL)



B 61501-1500 C

POWERHEAD ASSEMBLY

(ENVIRONMENTAL) *CONTINUED*


Item No.	QTY	Part No.	Description
1	1	18697-15	B , H
2	1	11838	P C , 6- , N A , F
		19303-01	P C , 6- , A
		19885-01	P C , 6- , J
		11545-01	P C , 6- , E
3	1	13547	, C
4	1	40400	H , D D / E
5	2	10231	, H 1/4-20 1/2 35 - 20%
6	2	10218	, M
7	1	10909	P , C
8	1	60160-15	D C A , F, B , 2900
9	2	10338	P , , 3/32 7/8
10	2	14923	, P H MACH, 4-40 1 5.0 - 10%
11	1	41543	M , D , 115 /60 H
		41545	M , D , 220 , 50-60H , P, F 1
11A		42579	M , D , 24 AC/DC, 50-60 H , F 1
12	1	12777	C , -
13	2	10300	, H H , 8 3/8 20 - 20%
14	1	3200	A , 3200 7 12 D 3210 M D 3220 M I
15	1	15806	H P , (H C)
16	1	16493	P , H , H C , .88 D
17	1	17421	P , 1.20 H
18	2	19691	P , .750 D . H , F
19	7	19800	P (H : D .140)
20	4	19801	P , D .190
21	1	43560	F , B (F)
22	1	10269	N , J , 3/4-16 { FI }

Item No.	QTY	Part No.	Description
23	2	41581	P , H .125 D ,
24	1	10872	, H H, 8-32 5/16 20 IN-LB 20%
25	1	14202-01	, H #8-32 5/16 H
26	1	60219-02	C A , E , B , C
		60219-12	C A , E , B , B
27	1	*	P A
28	1	60050-23	D M A , 24 AC/ DC, 50-60 H FAM 1
		60050-21	D M A , 115 /60 H
		60050-22	D M A , 220 , 50-60 H P FAM1
29		60320-12	K , 1500-2850 D M

Not Shown:

1	15441	C	G A , 2510
1	15495	M	C , 13.87
*C		P	N

MANUAL POWERHEAD ASSEMBLY



Item No.	QTY	Part No.	Description
1	1	12593	B , M
2	1	12592	B , L P
3	1	12596	1/4 - 20 1/2 M ,
4	1	12707	,
5	1	11235	N , H , 1/4 - 20, M
6	1	12594	L , P
7	2	10231	1/4 - 20 1/2 18-8 H ,
8	1	60224-32	C A , M , F
	1	60224-33	C A , M ,
9	4	10300	3/8 , H , 8-18 B C44-47
10		60409	P A , M

Not Shown:

1	10909	P , L
---	-------	-------

60409 A

CONTROL VALVE ASSEMBLY *CONTINUED*

Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
25	1	12338	F, E, 90 D, 1/2- NP 1/2-B	60705-17	DLFC, P	1.7	
26	1	11893	C, I, ,	60705-20	DLFC, P	2.0	
		10228	C, I, , B	60705-24	DLFC, P	2.4	
27	1	15137	H, M, 10-24 3/8	60705-30	DLFC, P	3.0	
28	1	10757	E	60705-35	DLFC, P	3.5	
29	1	12973-0	N, I, , #0, P C	60705-40	DLFC, P	4.0	
		12973-1	N, I, , #1, P C	60705-45	DLFC, P	4.5	
		12973-2	N, I, , #2, P C	60705-50	DLFC, P	5.0	
		12973-3	N, I, , #3, P C	60705-60	DLFC, P	6.0	
		12973-4	N, I, , #4, P C	60705-70	DLFC, P	7.0	
		10913-000	N, I, , #000	60706-8.0	DLFC, C 3/4- 8.0	F,	
		10913-00	N, I, , #00	60706-9.0	DLFC, C 3/4- 9.0	F,	
		10913-0	N, I, , #0	60706-10	DLFC, C 3/4- 10	F,	
		10913-1	N, I, , #1	60706-12	DLFC, C 3/4- 12	F,	
		10913-2	N, I, , #2 B	60706-15	DLFC, C 3/4- 15	F,	
		10913-3	N, I, , #3	60706-20	DLFC, C 3/4- 20	F,	
		10913-4	N, I, , #4 G	33	1	60090	P A, 1500, 2510, 2750
30	1	12974-0	I, , #0, P C	34	1	60121	K, 1500, 2510, 2750
		12974-1	I, , #1, P C		1	60121-10	K, 2510, 2750,
		12974-2	I, , #2, P C	35	1	60101-01	P A, NH BP
		12974-3	I, , #3, P C	36	2	19228-01	A A, C /O-
		12974-4	I, , #4, P C	37	4	13305	O-, -119
		10914-000	I, , #000	38	1	14805	G, I B, 1600/1700
		10914-00	I, , #00	Not Shown			
		10914-0	I, , #0		1	11098	A, 2510/2750
		10914-1	I, , #1		1	13061	P A, P 2510/2750
		10914-2	I, , #2 B		1	12874	H,
		10914-3	I, , #3	NOTE: For optimal seal life, the use of lubricants is not recommended.			
		10914-4	I, , #4 G				
31	1	60480-000	I A, 1600 #00, P				
		60480-00	I A, 1600 #0, P				
		60480-01	I A, 1600 #1, P				
		60480-02	I A, 1600 #2, P				
		60480-03	I A, 1600 #3, P				
		60480-04	I A, 1600 #4, P				
32	1	60705-00	DLFC, P B				
		60705-06	DLFC, P 0.60				
		60705-08	DLFC, P 0.80				
		60705-10	DLFC, P 1.0				
		60705-12	DLFC, P 1.2				
		60705-13	DLFC, P 1.3				
		60705-15	DLFC, P 1.5				

SOFTENER FILTER CONVERSION KITS


0000

Item No.	QTY	Part No.	Description
1.....		60101-02.....	P C ,N ,N ,2510 NH BP 1600
2.....		60101-00.....	P K ,N ,N ,2510 NH BP F

NOTE: For optimal seal life, the use of lubricants is not recommended.

61671 E


METER ASSEMBLY



60088 E

Item No.	QTY	Part No.	Description
1	4	12473	- M C A , 10-24 5/8-
2	1	15659	M C A . - E . , A (N)
		15452	M C A , 3/4- 2- , , A /90, P P
3	1	13847	O- - M C A , -137
4	1	13509	I
5	4	13314	- A C , 8-18 0.6-
6	4	13255	A C
7	1	13821	M B
8	4	13305	O- - M B , -119
9	1	14613	F
10	1	60088-180	M A , 3/4- D P , , A /180 P P , /
		60089-180	M A , 3/4- D P , , E , A /180 P P , /


1600 BRINE SYSTEM ASSEMBLY



60029 C

Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
1	2	10332	F, I, 3/8	12	1	12552-02	B, 1600,
2	1	12767	, B	13	1	12626	, B
3	1	10328	F, E, 90 D . 1/4- NP 3/8	14	1	11982	O- , -016
4	3	10329	F, , 3/8 N , B	15	1	60020-25	BLFC, .25 GPM, 1600
5	3	10330	F, , 3/8 C			60020-50	BLFC, .50 GPM, 1600
6	1	16508-01	, B , 2850/2900			60020-100	BLFC, 1.0 GPM, 1600
		12774	, B , 1500	16	1	60029-010	B , 1600 , 0.25
		40027	, B , 2510, H BP			60029-020	B , 1600 , 0.50
		14428	, B , 1600/1650, NH BP			60029-030	B , 1600 , 1.00
		15221-01	, B , 2750/2900				
		42184	, B , 2850				
		41683	, B , F, 2900 1600/1650				
7	1	10250	, ,				
8	1	11749	G , B				
9	1	10249	, B				
10	1	12550	, -009				
11	1	12748	B B A , 1600 /				


1650 BRINE SYSTEM



60011 D


Item No.	QTY	Part No.	Description
1	1	10328	E, 90 1/4 NP 3/8
3	3	10332	I, 3/8
4	1	10330	, 3/8 N B
5	1	10329	F, 3/8 N B
6	1	16508-01	, B, 2850/2900
		12774	, B, 1500
		40027	, B, 2510, H BP
		14428	, B, 1600/1650, NH BP
		15221-01	, B, 2750/2900
		42184	, B, 2850
		41683	, B, F, 2900 1600/1650
7	2	19625	A, GFN N
8	1	16924	O-, -018
9	1	12626	, B
10	1	12552	B, 1600
12	1	17906	G, B
13	1	10250	
14	1	10249	, B
15	1	17884	B B A, P
17	1	12794	E, 3/8 P
18	1	60002	#500 A C

Item No.	QTY	Part No.	Description
19		60010-25	BLFC Assy. (Parts)
	1	17907	H
	1	12128	.25 GPM L
	1	12094	.25 F
	1	12098	
		60010-50	BLFC Assy. (Parts)
	1	17907	H
	1	10759	.50 GPM L
	1	12095	.50 F
	1	12098	
		60010-100	BLFC Assy. (Parts)
	1	17907	H
	1	10760	1.0 GPM L
	1	12097	1.0 F
	1	12098	
20		60011-010	B, 1650, 0.25
		60011-020	B, 1650, 0.50
		60011-030	B, 1650, 1.00



Item No.	QTY	Part No.	Description
1	2	13305	O- , -119
2	2	13255	C , M
3	2	13314	, I H , 8-18 .60
4A	1	18706	, 1- , NP , P
		18706-02	, 3/4- , NP , P
4B	1	13708-40	, 1- ,
		13708-45	, 3/4- ,
		19275	, A 90 D , 3/4- , NP
		19275-45	, A 90 D , 3/4-
		19620-01	A , 3/4- , /A , 90 D /O- , C &
		40636	, 1-1/4 , NP
		40636-49	, 1-1/4 ,
		41027-01	, 3/4- , NP , C , M
		41026-01	, 1- , NP , C ,

BYPASS VALVE ASSEMBLY (METAL)




60040
60041

Item No.	QTY	Part No.	Description
1	1	40614	B B , 3/4-
		40634	B B , 1- ,
2	1	14105	, B , 560CD
3	1	11972	P , B
4	1	11978	C
5	1	13604-01	L
6	8	15727	, 10-24 0.5-
7	1	11986	C
8	1	11979	L , B
9	1	11989	, H H ,
			1/4-14 1.5-
10	1	60040	B , 5600, 3/4-
			NP B G L ,
		60041	B , 5600, 1-
			NP B G L ,
*	2	19228-01	A A , C ,
			/0-

*N

2300 SAFETY BRINE VALVE



60027 D

Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
1	1	60027-00	B , 2300,				L
			L E			60002-36	A C , #500, 36
2	1	10138	B , 3/8- , B				L
3	1	11566	B , F			60002-48	A C , #500, 48
4	1	10328	F , E , 90 D .				L
			1/4 NP 3/8			60002-26.25	A C , #500, 26.25
5	1	10332	F , I , 3/8				L
6	1	10330	F , , 3/8 C			60002-33.25	A C , #500, 33.25
7	1	10329	F , , 3/8 N , B				L
8	1	10186	N , H , 10-32	10	1	10149	, F , 30-
9	1	60002-10	A C , #500, A	11	1	10700	F A ,
			H	12	3	10150	G , 30 D
		60002-11.38	A C , #500, 11.38	13	1	60028-30	F A , 2300, 30-
			L				
		60002-24	A C , #500, 24	14	1	60027-FFA	B , 2300,
			L				F F A
		60002-27	A C , #500, 27	1		60027-FF	B , 2300
			L				F F
		60002-32	A C , #500, 32				
			L				
		60002-34	A C , #500, 34				


2310 SAFETY BRINE VALVE



2310 SAFETY BRINE VALVE *CONTINUED*

Item No.	QTY	Part No.	Description	Item No.	QTY	Part No.	Description
1	1	19645	B , B , 2310		60002-34	A C , #500, 34 L	
2	1	19803	B A		60002-36	A C , #500, 36 L	
3	1	19804	10-24 .75 H ,		60002-48	A C , #500, 48 L	
4	1	19805	N , H , 10-24, N B		60002-26.25	A C , #500, 26.25 L	
5	1	19652-01	P A , B /O-		60002-33.25	A C , #500, 33.25 L	
6	1	19649	F D				
7	1	11183	O- , -017				
8	1	19647	E , B				
9	2	19625	N A , 3/8- P				
10	1	18312	, D				
11	1	60014	B A , 2310				
12	2	10150	G , .30 D				
13	1	60068-8.06	F A , 2310, /8.06-				
		 60068-10.5	F A , 2310, /10.5-				
		 60068-11.5	F A , 2310, /11.5-				
		 60068-20	F A , 2310, /20-				
		 60068-30	F A , 2310, /30-				
14	1	60002-10	A C , #500, A H				
		 60002-11.38	A C , #500, 11.38 L				
		 60002-24	A C , #500, 24 L				
		 60002-27	A C , #500, 27 L				
		 60002-32	A C , #500, 32 L				


SEAL & SPACER TOOLS & REPLACEMENT



F 5


NOTE: Photos shown are for reference only for replacing the seal and spacer. Actual valve may be different.

- 1. N
 - 2.
 - 3. D
 - 4.
 - 5. G
- F 6)




F 6

6. (F 7).
7. ()
8. I (). P (F 8).



F 7

- 1/4 . P
9. A
- 10.
- F 8
- N . 6 8.




F 8

SEAL & SPACER TOOLS & REPLACEMENT

CONTINUED

11. _____,
_____ (F 5).



_____ F 9
12. _____ (_____),
_____ (F 8). P
P

13. _____,

14. _____ P

GENERAL SERVICE HINTS FOR METER CONTROL

Problem: Softener delivers hard water

Reason:

Correction: C

Reason: P

Correction: P

P


Reason: M

Correction: C

TROUBLESHOOTING

Problem	Cause	Correction
	E	A
	P	
H	B -	C -
	N	A
	I	C
	I	C
	H	
	L	M . C
	I	/
	I	C
	E	"E"
L	I	C
	I	C . I
	I	
L	A	A . C
	I	C
I	F	C , , . I
E	P	C
	P	C
	F	
	F	C
	D	C
	I	C
	I	C
	L	I 20
	I	C , , .
		C
C	M , , .	D , .
D		C
	F	
	I	

FLOW DATA & INJECTOR DRAW RATES



TIMECLOCK OR METER DELAYED REGENERATION TIMER

1. WITNESSES

BIRRFN/RLFE\

M - 2 7844 9-MB 59 - M8-8398.8392 82.9091 □ M -60(3)41 /MCID 394G M - 4

SERVICE ASSEMBLIES

24 Hour Gear Assemblies

40096-02	Dial 2AM Regen Assy, Black
40096-24	Dial 12AM Regen Assy, Black
60519-02	Gear Assy, 3200 24 Hour 2 Times/Day
60519-03	Gear Assy, 3200, 24 Hour 3 Times/Day
60519-04	Gear Assy, 3200, 24 Hour 4 Times/Day
60519-06	Gear Assy, 3200, 24 Hour (12:00) 6 Times/Day

Brine Line Flow Control (BLFC)

60010-25	BLFC, 1650, .25 GPM, Plastic
60010-50	BLFC, 1650, .50 GPM, Plastic
60010-100	BLFC, 1650, 1.0 GPM, Plastic

Brine Valves

60011-010	Brine Valve, 1650, Short Stem, .25 GPM, Less Tube
60011-030	Brine Valve, 1650, Short Stem, 1.0 GPM, Less Tube

Bypasses

60049	Bypass Plastic Assy
60040SS	Bypass Valve, 5600, 3/4-inch NPT
60041SS	Bypass Valve, 5600, 1-inch NPT

Cam

60160-15	Drive Cam Assy, STF, Blue
----------------	---------------------------

Clamp

60503	Clamp Ring Assembly, 2510
-------------	---------------------------

Coupling

60510	Adapter Coupling Assy, 5600
-------------	-----------------------------

Drain Line Flow Controls

60705-00	DLFC, Plastic, Blank
60705-06	DLFC, Plastic, .60 GPM
60705-08	DLFC, Plastic, .80 GPM
60705-10	DLFC, Plastic, 1.0 GPM
60705-12	DLFC, Plastic, 1.2 GPM
60705-13	DLFC, Plastic, 1.3 GPM
60705-15	DLFC, Plastic, 1.5 GPM
60705-17	DLFC, Plastic, 1.7 GPM
60705-20	DLFC, Plastic, 2.0 GPM
60705-24	DLFC, Plastic, 2.4 GPM
60705-30	DLFC, Plastic, 3.0 GPM
60705-35	DLFC, Plastic, 3.5 GPM
60705-40	DLFC, Plastic, 4.0 GPM
60705-45	DLFC, Plastic, 4.5 GPM
60705-50	DLFC, Plastic, 5.0 GPM
60705-60	DLFC, Plastic, 6.0 GPM
60705-70	DLFC, Plastic, 7.0 GPM
60705-8.0	DLFC, QC x 3/4-inch F, 8.0 GPM
60705-9.0	DLFC, QC x 3/4-inch F, 9.0 GPM
60705-12	DLFC, QC x 3/4-inch F, 12.0 GPM
60705-15	DLFC, QC x 3/4-inch F, 15.0 GPM

Drives

60050-21	Drive Assy, 2750, STF, 120V Softener
----------------	--------------------------------------

Injectors

60480-xx	1600 Injector Assy (Specify size of Injector)
----------------	---

Meters

60088-180	Meter Assy, 3/4-inch Dual Port, Slip Std, Rt Ang/180 Plastic Paddle w/clps
60089-180	Meter Assy, 3/4-inch Dual Port, Slip Ext, Rt Ang/180 Plastic Paddle w/clps

Pistons

60090	Piston Assy, 1500, 2510, 2750
60101-01	Piston Assy, NHWPB
60101-02	Piston Conversion, 2510 NHWPB 1600
60101-00	Piston Kit, 2510 NHWPB Filter

Program Wheels

60405-10	Program Wheel, w/3/4-inch Std Label Set @ 21
60405-15	Program Wheel, w/3/4-inch Std Label w/People Label Set @ 21

Safety Brine (2300)

60028-30	Float Assy, 2350, 30-inch , White
60027-FFA	Safety Brine Valve Body, 2300 Fitting Facing Arm
60027-FFS	Safety Brine Valve Body, Fitting Facing Stud

Sales and Service Aids

40097	Literature, 2510, S/Manual
16510	Literature, 2510, Spec Sheet

Seal & Spacer Kits

60121	Seal Kit, 1500, 2510, 2750
60121-10	Seal & Spacer Kit, 2750, Silicone

Skipper Wheels

14860	Skipper Wheel Assy, 7 Day
14381	Skipper Wheel Assy, 12 Day

Yokess

13708-40	Yoke, 1-inch , Sweat
13708-45	Yoke, 3/4-inch , Sweat
18706	Yoke, 1-inch , NPT, Plastic
18706-20	Yoke, 3/4-inch , NPT, Plastic
19275	Yoke, Angle 90 Deg. 3/4-inch , NPT
19275-45	Yoke, Angle 90 Deg. 3/4-inch Sweat
19620-01	Yoke Assy, 3/4-inch , R/Angle, 90 Deg w/O-rings, Clips and Screws
40636	Yoke, 1-1/4 inch, NPT
40636-49	Yoke, 1-1/4 inch, Sweat
41026-01	Yoke, 1-inch , NPT, SS
41027-01	Yoke, 3/4-inch , NPT, Cast, Machd

